


1. SPECIFICATION

AD-7504-C-1


ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	3.6	 <p>Standard state, standard drive circuit. Square wave 1/2 duty.</p>
02	Operating Voltage	V	2.5 ~ 4.5	
03	Consumption Current	mA Max.	100	
04	Sound pressure level (Distance at 10cm)	dB(A) Min.	80	Rated voltage, rated frequency.
05	Direct Current Resistance	Ω	16 \pm 3	
06	Rated Frequency	Hz	2700	

REV NO.

REVISION NOTE

APPROVAL

DATE



RoHS

TITLE: SOUND TRANSDUCER (SMD)		DRAWN: Moose	2016/03/15	SCALE: 1:1	SHEET: 1 : 1
PART NO. AD-7504-C-1		DESIGNED: R & D OF AAT		UNITS: mm	
DWG NO. FDM-3459 SMD-075028F-03627		CHECKED:		TOLERANCE ± 0.5	
		APPROVAL:		UNLESS OTHERWISE SPECIFIED: ONE PLACE DECIMAL ± *** TWO PLACE DECIMAL ± *** THREE PLACE DECIMAL ± ***	
	1	MATERIAL: LCP			



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC