1. SPECIFICATION

AZ-3235S-W-LF

ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	12	
02	Operating Voltage	V	3 ~ 28	
03	Consumption Current	mA (Max)	10	Rated Voltage
04	Resonant Frequency	Hz	3500± 500	Rated Voltage
05	Response times	ms	≧100	
06	Sound pressure level	dB(A) Min.	90	Distance at 30cm Rated Voltage / Resonant Frequency

ATC

REV NO.	REVISION NOTE	APPROVAL	DATE



WIRE: UL1095, AWG28#

RoHS

TITLE: PIEZO BUZZER		DRAWN: Zack 2012/10/17	SCALE: 1:1	SHEET: 1 of 1	
PART NO. AZ-3235S-W-LF	4	DESIGNED: AAT R&D	UNITS: mm		
		CHECKED:	TOLERANCE ± 0.5		
DWG NO. UGPA32BX3512W140	REV	APPROVAL:	UNLESS OTHERWISE SPECIFIED: ONE PLACE DECIMAL ± *** TWO PLACE DECIMAL ± *** THREE PLACE DECIMAL ± ***		
		MATERIAL: ABS			

ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC