




1. SPECIFICATION

AZI-1440S-3PV1



ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	12	
02	Operating Voltage	V	3.5~ 16	
03	Consumption Current	mA (Max)	15	Rated Voltage
04	Resonant Frequency	Hz	4000± 500	Rated Voltage
05	Response times	ms	≥ 100	
06	Sound pressure level	dB(A) Min.	85	Distance at 10cm Rated Voltage / Resonant Frequency

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



Print Silver

AZI-1440S
-3PV1
17A ⊕



RoHS

TITLE: <i>PIEZO BUZZER</i>		DRAWN: Moose 2017-12-12	SCALE: 2:1	SHEET: 1 of 1
PART NO. <i>AZI-1440S-3PV1</i>		DESIGNED: R & D OF AAT	UNITS: mm	TOLERANCE ± 0.3
DWG NO. <i>LPB1475E-T0-12-4.0-7.6-R-3.0</i>	3 REV	CHECKED:	UNLESS OTHERWISE SPECIFIED:	
		APPROVAL:	ONE PLACE DECIMAL ± ***	
		MATERIAL: PPO	TWO PLACE DECIMAL ± ***	
			THREE PLACE DECIMAL ± ***	



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC