


1. SPECIFICATION**AZ-4229S-FJC**

ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	220	VDC
02	Operating Voltage	V	60 ~ 250	
03	Rated Current	mA(Max)	18	Rated Voltage
04	Sound pressure level (Distance at 10cm)	dBA(Min)	73	Rated Voltage Rated Frequency
05	Rated Frequency	Hz	2900	Rated Voltage
06	Resonant Frequency	Hz	2900 ± 500	
07	Tone Nature	Fast Pulse(3Hz)		
08	Operating Temp.	°C	-20 ~ +60	
09	Storage Temp.	°C	-30 ~ +70	
10	Weight	g	62	

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



RoHS

TITLE:	PIEZO BUZZER	DRAWN:	Zak	2013/04/12	SCALE: 2:1	SHEET: 1 of 1
PART NO.	AZ-4229S-FJC	DESIGNED:	R & D OF AAT		UNITS:	mm
DWG NO.	2921AN	CHECKED:			TOLERANCE	± 0.5
		APPROVAL:			UNLESS OTHERWISE SPECIFIED:	ONE PLACE DECIMAL \pm ***
		MATERIAL:	*****			TWO PLACE DECIMAL \pm ***
						THREE PLACE DECIMAL \pm ***



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC