



# 1. SPECIFICATION

AD-1403-CZ-LF

ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	3	 <p>Standard state, standard drive circuit. Square wave 1/2 duty.</p>
02	Operating Voltage	V	2 ~ 4	
03	Consumption Current	mA Max.	100	
04	Sound pressure level (Distance at 10cm )	dB(A) Min.	85	Rated voltage, rated frequency.
05	Direct Current Resistance	$\Omega$	18 $\pm$ 3	
06	Rated Frequency	Hz	2730	
07	Operating Temp.	$^{\circ}$ C	-20 ~ +70	
08	Storage Temp.	$^{\circ}$ C	-30 ~ +80	
09	Weight	g	0.6	

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



RoHS

TITLE: SOUND TRANSDUCER (SMD)		DRAWN: Zack	2018/07/31	SCALE: 1:1	SHEET: 1 : 1
PART NO. AD-1403-CZ-LF		DESIGNED: R & D OF AAT		UNITS: mm	
DWG NO. FDM-2020 SMD-140035H-03027R18		CHECKED:		TOLERANCE $\pm 0.5$	
		APPROVAL:		UNLESS OTHERWISE SPECIFIED:	
REV 3		MATERIAL: LCP		ONE PLACE DECIMAL $\pm$ ***	
				TWO PLACE DECIMAL $\pm$ ***	
				THREE PLACE DECIMAL $\pm$ ***	



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC